




CADENAS



Cookie Policy

Cookies, Session and Local Storage - Summary

Table of content

Table of content	2
1. CADENAS website	3
CADENAS website – Cookies	3
CADENAS website – Local Storage	4
2. CADENAS PARTsolutions LLC website	4
CADENAS PARTsolutions LLC website – Cookies	4
3. CADENAS-standard-PARTcommunity-Portals	5
CADENAS-standard-PARTcommunity-Portals – Cookies	5
CADENAS-standard-PARTcommunity-Portals – Session Storage	6
CADENAS-standard-PARTcommunity-Portals – Local Storage	6
4. 3Dfindit	7
3Dfindit public	7
Enterprise 3Dfindit	10
5. PARTsolutions	12
PARTsolutions – Cookies	12
6. PARTupdate	12
PARTupdate – Cookies	12
PARTupdate – Local Storage	13
7. PARTconcept	13
PARTconcept – Cookies	13
PARTconcept – Local Storage	14
8. CADENAS b2b.PARTcommunity-Portal	15
CADENAS b2b.PARTcommunity-Portal – Cookies	15

1. CADENAS website

CADENAS website – Cookies

- **csrf_https-contao_csrf_token**
description: preventing CSFR vulnerability; set automatically by the contao system (<https://docs.contao.org/dev/framework/request-tokens/>)
domain: www.cadenas.de
type: technical cookie
expires: session
- **cns_tracking**
description: saving the choice of the consent banner
domain: www.cadenas.de
type: technical cookie
expires: 3 months
- **PHPSESSID**
description: set by the contao system (<https://www.php.net/manual/en/function.session-id.php>)
domain:
type: technical cookie
expires: session
- **_pk_ses**
description: shows an active session of the visitor. If the cookie isn't present, the session has finished over 30 minutes ago and it was counted in a pk_id cookie; automatically set by matomo (https://matomo.org/faq/general/faq_146/)
domain: www.cadenas.de
type: marketing & tracking cookie
expires: 30 minutes
- **_pk_ref**
description: storing the attribution information, the referrer that was originally used to visit the website (https://matomo.org/faq/general/faq_146/)
domain: www.cadenas.de
type: marketing & tracking cookie
expires: 6 months
- **_pk_id**
description: recognition of visitors and holding their various properties automatically; set by matomo (https://matomo.org/faq/general/faq_146/)
domain: www.cadenas.de
type: marketing & tracking cookie
expires: 12 months
- **_pk_uid – currently not in use**
description: cross site tracking; automatically set by matomo (https://matomo.org/faq/general/faq_146/)
domain: *.partcommunity.com
type: marketing & tracking cookie
expires: 13 months

CADENAS website – Local Storage

Local Storage entries do not expire due to technical reasons.

- cache-sprite-plyr
description: Ensuring the cache function
type: technical

2. CADENAS PARTsolutions LLC website

This website addresses exclusively the American customer base. The domain owner is CADENAS PARTsolutions LLC (<https://partsolutions.com/>).

CADENAS PARTsolutions LLC website – Cookies

- Nitropack
description: Additional caching layer to meet Google page speed requirements
domain: nitropack.io
type: technical cookie
expires: 2 years
- Hubspot
description: Lets us serve forms, calls to action, chat, and tells us who visits our site for ads etc
domain: hubspot.com
type: marketing & tracking cookie
expires: 7 days
- Google Tag Manager
description: Analytics
domain: <https://tagmanager.google.com/>
type: marketing & tracking cookie
expires: 2 years
- Facebook (via Google tag manager)
description: analytics / ads
domain: facebook.com
type: marketing & tracking cookie
expires: 6 months
- Zoominfo
description: tells us what domains visit our site
domain: <https://www.zoominfo.com/>
type: marketing & tracking cookie
expires: session

3. CADENAS-standard-PARTcommunity-Portals

CADENAS-standard-PARTcommunity-Portals – Cookies

- JSESSIONID
 - description: identification of the session at PARTcommunity
 - domain: \$portalname\$.partcommunity.com
 - type: technical cookie
 - expires: session
- third-party-cookies-enabled
 - description: verification of the browser's cookie support
 - domain: \$portalname\$.partcommunity.com
 - type: technical cookie
 - expires: expires immediately
- PWEBSSESSIONID
 - description: session identification for the app server
 - domain: \$portalname\$.partcommunity.com
 - type: technical cookie
 - expires: session
- PCOM_EXTERNAL_SSO
 - description: name of the last external SSO provider, that was used to log-in
 - domain: \$portalname\$.partcommunity.com
 - type: technical cookie
 - expires: 30 days
- OAID
 - description: technical reasons; every visitor gets the same value
(details: <https://www.revive-adserver.com/how-to/change-the-name-of-the-oaid-cookie/>)
 - domain: adserver.partcommunity.com
 - type: technical cookie
 - expires: 12 months
- OAGEO
 - description: geolocation of the user to reduce server load – ip anonymized
(<https://www.revive-adserver.com/privacy/personal-data/>)
 - domain: adserver.partcommunity.com
 - type: technical cookie
 - expires: session
- PSRCSESSIONID – depending on portal content
 - description: identification of the session for the search server
 - domain: \$portalname\$.partcommunity.com
 - type: technical cookie
 - expires: session

- PCOMREMEMBERME – depending on portal settings
description: storage of login information (hash of password); thereby the user is automatically logged in at the next PARTcommunity session.
domain: \$portalname\$.partcommunity.com
type: technical cookie
expires: 28 days
- PCOM_SMART_SALES_SETTINGS
description: storage of last SmartEngineering settings
domain: \$portalname\$.partcommunity.com
type: technical cookie
expires: 12 months
- PCOM_STATISTIC_INCLUDE_PREVIEW
description: storage of last statistic dashboard settings
domain: cadenas-admin.partcommunity.com
type: preference cookie
expires: 12 months
- TRACKING_UUID
description: tracking
domain: \$portalname\$.partcommunity.com
type: marketing & tracking cookie
expires: 12 months
- _pk_uid – currently not in use
description: cross site tracking; automatically set by matomo (https://matomo.org/faq/general/faq_146/)
domain: *.partcommunity.com
type: marketing & tracking cookie
expires: 13 months

CADENAS-standard-PARTcommunity-Portals – Session Storage

Session Storage entries expire at the end of the session.

- assistant-state-path – depending on portal content
description: saving the path of the last called assistant project
type: technical
- assistant-state-varsettransfer – depending on portal content
description: saving the last input
type: technical cookie

CADENAS-standard-PARTcommunity-Portals – Local Storage

Local Storage entries do not expire due to technical reasons.

- cometTransferIds
description: Comet is used for server pushes. This data contains the transfer ID of the last received server push notification.
type: technical

- **cookieinfo_seen_<portalname>**
description: stores if the user has seen the cookie banner
type: technical
- **rss_news_readstatus_<portalname>**: RSS Portlet – depending on portal setting
description: bookmarks the news as read
type: technical
- **rfq_embedded_useraddr: rfq.partcommunity.com**
description: stores last user address data
type: technical
- **rfq_embedded_dispatchaddr: rfq.partcommunity.com**
description: stores last dispatch address data
type: technical
- **recommendation-email-sent** – depending on portal setting
description: saves how many times a PARTcommunity recommendation email was sent
type: preference

4. 3Dfindit

3Dfindit public

3Dfindit public – Cookies

- **JSESSIONID**
description: identification of the session
domain: 3dfindit.com
type: technical cookie
expires: session
- **PWEBSSESSIONID**
description: identification of the session for the app server
domain: webapi.partcommunity.com
type: technical cookie
expires: session
- **PSRCSESSIONID**
description: identification of the session for the search server
domain: 3dfindit.com
type: technical cookie
expires: session

- **PCOMREMEMBERME**
description: storage of login information (hash of password); thereby the user is automatically logged in at the next 3Dfindit session.
domain: 3dfindit.com
type: technical cookie
expires: 28 days
- **PCOM_EXTERNAL_SSO**
description: name of the last external SSO provider, that was used to log-in
domain: 3dfindit.com
type: technical cookie
expires: 30 days
- **DIRECTUS_CLUSTERNODE**
description: load balancing for Directus (Content Management System)
domain: 3dfindit.com
type: technical cookie
expires: session
- **language**
description: saves selected language
domain: 3dfindit.com
type: technical cookie
expires: 30 days
- **matomoAccepted**
description: Matomo tracking consent. If only the required cookies are accepted in the consent banner, the matomoAccepted cookie is created, but only the fact that tracking is not consented to is stored.
domain: 3dfindit.com
type: marketing & tracking cookie
expires: 12 months
- **OAID**
description: technical reasons; every visitor gets the same value
(details: <https://www.revive-adserver.com/how-to/change-the-name-of-the-oid-cookie/>)
domain: adserver.partcommunity.com
type: technical cookie
expires: 12 months
- **OAGEO**
description: geolocation of the user to reduce server load – ip anonymized
(<https://www.revive-adserver.com/privacy/personal-data/>)
domain: adserver.partcommunity.com
type: technical cookie
expires: session
- **OXLIA**
description: used to store the timestamp of the last view of a banner; used for conversion tracking
domain: adserver.partcommunity.com
type: technical cookie
expires: 12 months

- **_OXLIA[<Id>]**
description: used to store the timestamp of the last view of a banner including the campaign-id; used for conversion tracking
domain: adserver.partcommunity.com
type: technical cookie
expires: 12 months
- **_pk_id.1201.bdf9**
description: Matomo tracking cookie
domain: 3dfindit.com
type: marketing & tracking cookie
expires: 13 months
- **_pk_ses.1201.bdf9**
description: Matomo tracking cookie
domain: 3dfindit.com
type: marketing & tracking cookie
expires: 30 minutes

3Dfindit public – Local Storage

Local Storage entries do not expire due to technical reasons.

- **preSelectedFromats**
description: saves selected CAD formats for download
type: technical
- **searchResults.linesResultType**
description: saves selected view for search results (lines or part families)
type: technical
- **ignoreReduceResultsHint**
description: remember "ignore reduce results hint" clicked (yellow banner at the top of search results)
type: technical
- **idlelogin**
description: distinguish between automatic login renewal and active login by the user
type: technical
- **searchDirlItems**
description: list of recent paths that were used for searches in a directory
type: technical
- **comparisonItemList**
description: saves list of parts that were added for comparison
type: technical
- **catalogLanguage**
description: saves selected catalog language
type: technical

- digitalTwin.tableExpanded
description: saves last used table format (expanded/collapsed)
type: technical
- CompareHideSameAttr
description: hide/show same attributes in the comparison table
type: technical
- CompareCollapsedNodes
description: collapsed state of tree nodes in the comparison table
type: technical
- preferredSearch
description: ad conversion information (whether a click on an ad led to a download)
type: technical
- catalogAmount
description: amount of available catalogs
type: technical
- cadFormats
description: list of available cad formats
type: technical
- oidc.<hash>
description: OpenId information for Pcom login
type: technical
- oidc.user:/3d-cad-models:3dfindit
description: OpenId user information
type: technical

Enterprise 3Dfindit

Enterprise 3Dfindit – Cookies

- PWEBSSESSIONID
description: session identification for the app server
domain: domain of customer appserver
type: technical cookie
expires: session
- language
description: saves selected language
domain: domain of customer appserver
type: technical cookie
expires: 30 days

- PHPSESSID
description: user session cookie, required to keep user logged in and store session state
domain: partupdate.cadenas.de
type: technical cookie
expires: session

Enterprise 3Dfindit – Local Storage

Local Storage entries do not expire due to technical reasons.

- readyCADProps
description: properties that where set through 3DfinditAPI
type: technical
- preSelectedFromats
description: saves selected CAD formats for download
type: technical
- searchResults.linesResultType
description: saves selected view for search results (lines or part families)
type: technical
- ignoreReduceResultsHint
description: remember "ignore reduce results hint" clicked (yellow banner at the top of search results)
type: technical
- searchDirItems
description: list of recent paths that where used for searches in a directory
type: technical
- comparisonItemList
description: saves list of parts that were added for comparison
type: technical
- topoSearch-SelectedQuantities
description: saves selected base unit for the topology search
type: technical
- catalogLanguage
description: saves selected catalog language
type: technical
- digitalTwin.tableExpanded
description: last used table format (expanded/collapsed)
type: technical
- CompareHideSameAttr
description: hide/show same attributes in the comparison table
type: technical
- CompareCollapsedNodes
description: collapsed state of tree nodes in the comparison table
type: technical

- catalogAmount
description: amount of available catalogs
type: technical

5. PARTsolutions

PARTsolutions – Cookies

Within PARTsolutions PARTcommunity functionalities can be integrated, such as the RFQ feature. In this case the corresponding cookies from the PARTcommunity chapter are also set in the PARTsolutions environment.

- PHPSESSID
description: user session cookie, required to keep user logged in and store session state
domain: partupdate.cadenas.de
type: technical cookie
expires: session
- PWEBSESSIONID
description: session identification for the app server
domain: webapi.partcommunity.com (in case of access to the CADENAS live server)
domain of customer appserver (in case of access to the customer's own appserver)
type: technical cookie
expires: session
- PSRCSESSIONID - in case of access to the CADENAS live server
description: identification of the session for the search server
domain: webapi.partcommunity.com
type: technical cookie
expires: session

6. PARTupdate

PARTupdate – Cookies

- key
description: required for browsing the catalog list
domain: partupdate.cadenas.de
type: technical cookie
expires: session
- PHPSESSID
description: user session cookie, required to keep user logged in and store session state
domain: partupdate.cadenas.de
type: technical cookie
expires: session

- **AUTH_SESSION_ID**
description: session ID, used to identify the active session of a user
domain: account.partcommunity.com
type: technical cookie
expires: session
- **AUTH_SESSION_ID_LEGACY**
description: session ID, used to identify the active session of a user
domain: account.partcommunity.com
type: technical cookie
expires: session
- **KEYCLOAK_IDENTITY**
description: current session token, required for logins to work
domain: account.partcommunity.com
type: technical cookie
expires: session
- **KEYCLOAK_IDENTITY_LEGACY**
description: current session token, required for logins to work
domain: account.partcommunity.com
type: technical cookie
expires: session
- **KEYCLOAK_SESSION**
description: identify domain of the session (in case user is logged in from multiple applications)
domain: account.partcommunity.com
type: technical cookie
expires: 14 days

PARTupdate – Local Storage

Local Storage entries do not expire due to technical reasons.

- **kc-callback-{random}**
description: used to track which application wants to login via keycloak and where to return the user after
type: technical

7. PARTconcept

PARTconcept – Cookies

- **PARTconcept_login**
description: user identification
domain: partconcept.cadenas.de
type: technical cookie
expires: 12 months

- PARTconcept_session – currently not in use
description: session identification
domain: partconcept.cadenas.de
type: technical cookie
expires: session
- PARTconcept_settings
description: storing the configured views
domain: partconcept.cadenas.de
type: technical cookie
expires: 1 month (after last configuration change)

PARTconcept – Local Storage

Local Storage entries do not expire due to technical reasons.

- DataTables:[NAME]d
description: Current active user settings for all the tables (displaying search results and other tabular data). “[NAME]” is the name of the table this setting applies to, currently there are 10 different tables/names. Synchronized with the server at certain time intervals or user actions.
type: technical
- O:DataTables:[NAME]
description: current server-side stored value for the same key without the prefix “O:”
type: technical
- llist
description: all issue numbers of the last search result; never sent to the server.
type: technical
- Qsearch
description: last entered text in the quick search input at the top of the page; never sent to the server.
type: technical

8. CADENAS b2b.PARTcommunity-Portal

Portal discontinued and replaced by 3Dfindit

CADENAS b2b.PARTcommunity-Portal – Cookies

- PHPSESSID
 - description: PHP Session ID
 - domain: b2b.partcommunity.com
 - type: technical cookie
 - expires: session
- B2B_BACKEND_NODE
 - description: load balancing for b2b
 - domain: b2b.partcommunity.com
 - type: technical cookie
 - expires: session
- en4_langugage
 - description: saves last language setting
 - domain: b2b.partcommunity.com
 - type: technical cookie
 - expires: 12 months
- en4_locale
 - description: saves the current region
 - domain: b2b.partcommunity.com
 - type: technical cookie
 - expires: 12 months
- PCL_CLUSTERNODE
 - description: load balancing for PARTcloud
 - domain: b2b.partcommunity.com
 - type: technical cookie
 - expires: session
- OAID
 - description: technical reasons; every visitor gets the same value
(details: <https://www.revive-adserver.com/how-to/change-the-name-of-the-oid-cookie/>)
 - domain: adserver.partcommunity.com
 - type: technical cookie
 - expires: 365 days
- OAGEO
 - description: geolocation of the user to reduce server load – ip anonymized
(<https://www.revive-adserver.com/privacy/personal-data/>)
 - domain: adserver.partcommunity.com
 - type: technical cookie
 - expires: session

- **_pk_id.578.d4cb**
description: Matomo tracking cookie
domain: b2b.partcommunity.com
type: marketing & tracking cookie
expires: 13 months
- **_pk_ses.578.d4cb**
description: Matomo tracking cookie
domain: b2b.partcommunity.com
type: marketing & tracking cookie
expires: 30 minutes
- **_pk_uid – currently not in use**
description: cross site tracking; automatically set by matomo (https://matomo.org/faq/general/faq_146/)
domain: *.partcommunity.com
type: marketing & tracking cookie
expires: 13 months